



# FANS & HEATERS COLLECTIONS



## 01 AIR CIRCULATION FAN

---

Table air circulation fan  
Stand air circulation fan  
Rechargeable air circulation fan  
DC air circulation fan  
Wall mounted air circulation fan  
Camp air circulation fan

## 02 ELECTRIC FAN

---

Premium stand fan  
Table fan, wall fan & ceiling fan

## 03 ROOM AIR HEATER

---

PTC Ceramic Tower Heater  
PTC Ceramic Table Heater  
Carbon Fiber Tower Heater  
Carbon Fiber Cage Heater  
Wall Heater  
Bathroom heater  
**Heater & Table 2 in 1**





## Leading Position

- Leading new design trend every year
- Biggest factory for fans and heaters
- 30+ OEM/ODM projects every year
- Fastest growing in past 5 years
- Devoted to only in cooling and heating
- Owns all molds of all models
- 4 factory sites with one in Thailand

## Superior Quality

- MIDEA's quality standards
- 2-3 months life time test
- Full inspection for each order
- Subject to supervise of MIDEA
- ISO9001 management system

## Production Capacity

- 50k pieces per day
- 42 production lines
- 142 injection machines
- 35 workers per line

## Market awareness

- Market is the truth
- Know better of our competitors in China
- Know better of foreign market

## Highest cost efficiency

- 8 million pieces produced per year
- Highest purchasing volume for raw materials
- Strict supply chain management
- Main parts produced by ourselves

## OEM/ODM services

- 16 R&D engineers
- 2 especially for foreign market
- 6 with 10 years' experiences
- 2-3 months' development cycle

## Reliable Service

- Prompt response
- 24x7days stand by service
- Warranty with FOC spare parts
- Sales + technical service team



Heater for Winter

Fan for Summer

# AIR CIRCULATION FAN



**WHOLE ROOM VORTEX CIRCULATION  
LOW POWER CONSUMPTION  
STEADY & POWERFUL AIRFLOW  
PORTABLE & LIGHT WEIGHT**



ADVANCED MODEL\_BLDC Motor



|                    |                      |
|--------------------|----------------------|
| MODEL              | YL-DC18DR-N          |
| Rated Power        | 100-240V/50-60Hz/50W |
| Control            | Remote               |
| Timer              | 12h                  |
| N.W./G.W.          | 4.8kg/5.9kg          |
| Product dim.       | 360x340x1150mm       |
| Package Dim.       | 720x220x400mm        |
| 40QH Container/pcs | 1060pcs              |



|                    |                |
|--------------------|----------------|
| MODEL              | YL-DC10R       |
| Rated Power        | 50W            |
| Control            | Remote         |
| Timer              | 12h            |
| N.W./G.W.          | 3.5kg/4.5kg    |
| Product dim.       | 310X260X1050mm |
| Package Dim.       | 490X220X355mm  |
| 40QH Container/pcs | 1750pcs        |

|                    |                |
|--------------------|----------------|
| MODEL              | YL-DC25R       |
| Rated Power        | 60W            |
| Control            | Remote         |
| Timer              | 12 hour        |
| N.W./G.W.          | 4.2kg/5.0kg    |
| Product Dim.       | 320x320x1100mm |
| Package Dim.       | 610x200x365mm  |
| 40QH Container/pcs | 1550pcs        |



Most Popular

2.6 million pieces produced per year



|                      |                      |                      |                      |                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL                | YL-L20               | YL-L20R              | YL-L16A              | YL-L2316R            | YL-L22S              | YL-L22SR             | YL-L31R              | YL-L59QR             |
| Rated Power          | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W |
| Speed Control        | 3                    | 8                    | 3                    | 3                    | 3                    | 8                    | 8                    | 8                    |
| Max. Wind Speed      | 6.5m/s               | 6.5m/s               | 6.5m/s               | 6.5m/s               | 6.5m/s               | 6.5m/s               | 6.2m/s               | 6.2m/s               |
| Remote Control       |                      | √                    |                      | √                    |                      | √                    | √                    | √                    |
| Touch Control        |                      | √                    |                      | √                    |                      | √                    | √                    | √                    |
| Timer                |                      | 12H                  |                      | 12H                  |                      | 12H                  | 12H                  | 12H                  |
| 3D Oscillation       | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
| With LED light       |                      |                      |                      |                      |                      |                      | √                    |                      |
| With Aroma           | √                    | √                    | √                    | √                    | √                    | √                    | √                    |                      |
| Room Temp. Display   |                      |                      |                      |                      |                      |                      |                      | √                    |
| Auto-off Display     |                      | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
| Mosquito Killer      |                      |                      |                      |                      |                      |                      |                      |                      |
| With Anion Generator |                      |                      |                      |                      |                      |                      | √                    |                      |
| Height Adjustable    | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
| N.W./G.W.            | 4.3kg/5.2kg          | 4.3kg/5.2kg          | 4.0kg/4.6kg          | 4.0kg/4.6kg          | 4.1kg/5.0kg          | 4.1kg/5.0kg          | 4.4kg/5.5kg          | 3.85kg/4.8kg         |
| Product Dim.         | 310x310x1050mm       | 310x310x1050mm       | 330x260x1050mm       | 330x260x1050mm       | 260x310x1050mm       | 260x310x1050mm       | 320x320x1100mm       | 310x310x1075mm       |
| Package Dim.         | 605x232x330mm        | 605x232x330mm        | 500x275x360mm        | 500x275x360mm        | 605x237x330mm        | 605x237x330mm        | 630x252x352mm        | 598x285x336mm        |
| 40QH QTY./pcs        | 1400                 | 1400                 | 1350                 | 1350                 | 1400                 | 1400                 | 1200                 | 1180                 |

Economical models



|                 |                      |                      |                      |                      |                      |                      |                      |                      |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL           | YL-L35Q              | YL-L35QR             | YL-L36Q              | YL-L36QR             | YL-L51               | YL-L51R              | YL-L26               | YL-L55QR             |
| Rated Power     | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W |
| Speed Control   | 3                    | 8                    | 3                    | 8                    | 3                    | 8                    | 3                    | 8                    |
| Max. Wind Speed | 6.2m/s               | 6.2m/s               | 6.2m/s               | 6.2m/s               | 6.2m/s               | 6.2m/s               | 7.8m/s               | 6.2m/s               |
| Features        | Remote Control       | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
|                 | Touch Control        |                      | √                    | √                    | √                    | √                    |                      | √                    |
|                 | Timer                |                      | 12H                  | 12H                  | 12H                  | 12H                  |                      | 12H                  |
|                 | 3D Oscillation       |                      | √                    | √                    | √                    | √                    |                      | √                    |
|                 | With LED light       |                      |                      |                      |                      |                      |                      |                      |
|                 | With Aroma           | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
|                 | Room Temp. Display   |                      |                      |                      |                      |                      |                      |                      |
|                 | Auto-off Display     |                      | √                    |                      | √                    | √                    |                      | √                    |
|                 | Mosquito Killer      | √                    | √                    | √                    | √                    | √                    |                      | √                    |
|                 | With Anion Generator |                      |                      |                      |                      |                      |                      |                      |
|                 | Height Adjustable    | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
| N.W./G.W.       | 3.35kg/4.1kg         | 3.35kg/4.1kg         | 3.75kg/4.2kg         | 3.75kg/4.2kg         | 3.8kg/4.8kg          | 3.8kg/4.8kg          | 3.8kg/4.8kg          | 3.5kg/4.2kg          |
| Product Dim.    | 300x300x1006mm       | 300x300x1006mm       | 300x300x1000mm       | 300x300x1000mm       | 300x300x1060mm       | 300x300x1060mm       | 310x310x930mm        | 248x310x1000mm       |
| Package Dim.    | 520x265x330mm        | 520x265x330mm        | 520x265x330mm        | 520x265x330mm        | 605x232x330mm        | 605x232x330mm        | 410x335x405mm        | 520x265x330mm        |
| 40QH QTY./pcs   | 1500                 | 1500                 | 1500                 | 1500                 | 1460                 | 1460                 | 1200                 | 1500                 |

# Middle-end Models



| MODEL                | YL-Y25               | YL-Y25R              | YL-L10               | YL-L10R              | YL-L13               | YL-L13R              | YL-L23               | YL-L23R              | YL-L53R              | YL-L27               | YL-L27R              | YL-L33R              |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Rated Power          | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W |
| Speed Control        | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    |
| Max. Wind Speed      | 7.0m/s               | 7.0m/s               | 6.2m/s               | 6.2m/s               | 7.0m/s               | 7.0m/s               | 7.3m/s               | 7.3m/s               |                      | 7.0m/s               | 7.0m/s               | 7.0m/s               |
| Remote Control       |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |                      | √                    | √                    |
| Touch Control        |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |                      | √                    | √                    |
| Timer                |                      | 12H                  |                      | 12H                  |                      | 12H                  |                      | 12H                  | 12H                  |                      | 12H                  | 12H                  |
| 3D Oscillation       |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |                      | √                    | √                    |
| With LED light       |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| With Aroma           | √                    | √                    |                      |                      | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
| Room Temp. Display   |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| Auto-off Display     |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |                      | √                    | √                    |
| Mosquito Killer      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| With Anion Generator |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| 3 Wind Modes         |                      |                      |                      |                      |                      |                      |                      |                      | √                    |                      |                      | √                    |
| Height Adjustable    | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    | √                    |
| N.W./G.W.            | 4.2kg/5.0kg          | 4.2kg/5.0kg          | 2.5kg/3.3kg          | 2.5kg/3.3kg          | 4.5kg/6.3kg          | 4.5kg/6.3kg          | 5.5kg/6.9kg          | 5.5kg/6.9kg          | 5.8kg/7.0kg          | 4.3kg/5.4kg          | 4.3kg/5.4kg          | 5.15kg/6.25kg        |
| Product Dim.         | 320x320x1100mm       | 320x320x1100mm       | 251x340x1060mm       | 251x340x1060mm       | 290x340x1100mm       | 290x340x1100mm       | 330x330x1100mm       | 330x330x1100mm       | 300x320x1150mm       | 330x330x1050mm       | 330x330x1050mm       | 320x285x1100mm       |
| Package Dim.         | 610x200x365mm        | 610x200x365mm        | 510x225x385mm        | 510x225x385mm        | 670x290x385mm        | 670x290x385mm        | 590x310x355mm        | 590x310x355mm        | 660x360x330mm        | 570x355x275mm        | 570x355x275mm        | 650x275x351mm        |
| 40QH QTY./pcs        | 1530                 | 1530                 | 1550                 | 1550                 | 900                  | 900                  | 1050                 | 1050                 | 880                  | 1200                 | 1200                 | 1080                 |

Classic Models



| MODEL                | YL-02T               | YL-02R               | YL-08                | YL-08R               | YL-L09S              | YL-L09SR             | YL-L11               | YL-L11R              | YL-DC17R             |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Rated Power          | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 220-240V/50-60Hz 50W | 100-240V/50-60Hz 50W |
| Speed Control        | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    | 3                    |                      |
| Max. Wind Speed      | 5.6m/s               | 5.6m/s               | 5.6m/s               | 5.6m/s               | 6.2m/s               | 6.2m/s               | 6.2m/s               | 6.2m/s               | 7.0m/s               |
| Remote Control       |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |
| Touch Control        |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |
| Timer                |                      | 12H                  |                      | 12H                  |                      | 12H                  |                      | 12H                  | 12H                  |
| 3D Oscillation       |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| With LED light       |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| With Aroma           |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| Room Temp. Display   |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |
| Auto-off Display     |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |
| Mosquito Killer      |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| With Anion Generator |                      |                      |                      |                      |                      |                      |                      |                      |                      |
| 3 Wind Modes         |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |
| Height Adjustable    |                      | √                    |                      | √                    |                      | √                    |                      | √                    | √                    |
| N.W./G.W.            | 2.6kg/3.3kg          | 2.6kg/3.3kg          | 2.4kg/3.1kg          | 2.4kg/3.1kg          | 2.2kg/2.7kg          | 2.2kg/2.7kg          | 2.4kg/3.0kg          | 2.4kg/3.0kg          | 1.9kg/2.8kg          |
| Product Dim.         | 280x280x880mm        | 280x280x880mm        | 320x320x850mm        | 320x320x850mm        | 251x310x750mm        | 251x310x750mm        | 255x310x750mm        | 255x310x750mm        | 150x300x850mm        |
| Package Dim.         | 430x295x310mm        | 430x295x310mm        | 410x295x330mm        | 410x295x330mm        | 370x280x325mm        | 370x280x325mm        | 410x295x330mm        | 410x295x330mm        | 505x190x355mm        |
| 40QH QTY./pcs        | 1750                 | 1750                 | 1700                 | 1700                 | 2000                 | 2000                 | 1700                 | 1700                 | 1950                 |

# Table air circulator



- Model: YL-01T/YL-01R
- Power: 50W
- N.W./G.W.: 2.0kg / 2.8kg
- Product Dim.: 249\*249\*318mm
- Packaging Dim.: 280\*255\*410mm
- 40HQ Loading: 2340pcs

- Features:
- \*Digital Display & remote control
  - \*3 Speed Control;
  - \*3 Wind Mode
  - \*Room Temp display
  - \*Auto left-right swing;
  - \*Tilt angle 90o
  - \*12 hours Timer
  - Customizable with LOGO and Color



- Model: YL-T37/YL-T37R
- Power: 50W
- N.W./G.W.: 1.2kg / 1.75kg
- Product Dim.: 220\*252\*312mm
- Packaging Dim.: 265\*235\*355mm
- 40HQ Loading: 3100pcs

- Features:
- \*Digital Display & remote control
  - \*3 Speed Control;
  - \*3 Wind Mode
  - \*Room Temp display
  - \*Auto left-right swing;
  - \*Tilt angle 90o
  - \*12 hours Timer
  - Customizable with LOGO and Color



- Model: YL-05T-61/YL-05T-61R
- Power: 50W
- N.W./G.W.: 1.5kg / 2.0kg
- Product Dim.: 200\*230\*310mm
- Packaging Dim.: 265\*230\*345mm
- 40HQ Loading: 3000pcs

- Features:
- \*Digital Display & remote control
  - \*3 Speed Control;
  - \*3 Wind Mode
  - \*Auto left-right swing;
  - \*Tilt angle 90o
  - \*Customizable LOGO
  - \*12 hours Timer
  - \*Auto off Screen
  - \*With Aroma Function



## Rechargeable & hangable & foldable

- Model: YL-02R
- Power: 10W
- N.W./G.W.: 0.9kg / 1.9kg
- Product Dim.: 210x210x110mm
- Packaging Dim.: 225x225x130mm
- 40HQ Loading: 10,00pcs

- Features:
- \*Remote control & Touch control
  - \*Rechargeable with 4000mAh battery
  - \*Portable with a leather handle
  - \*Foldable like a case
  - \*Hangable on the wall
  - \*With LED light
  - \*4 speeds control
  - \*3-4hours working time
  - \*Wide angle oscillation;
  - \*Customizable LOGO

# Wall air circulator



- Model: YL-05/YL-05R
- Power: 35W
- N.W./G.W.: 1.75kg / 2.7kg
- Product Dim.: 255x100x450mm
- Packaging Dim.: 475x315x300mm



- Model: YL-07/YL-07R
- Power: 35W
- N.W./G.W.: 2.1kg / 2.9kg
- Packaging Dim.: 290\*350\*360mm



- Model: YL-01, YL-01R, YL-01DR
- Power: 50W
- N.W./G.W.: 2.1kg / 2.9kg
- Product Dim.: 255\*315\*350mm
- Packaging Dim.: 290\*350\*360mm

## TRADITIONAL FAN

- **Super Low Power Consumption**
- **Steady And Powerful Air Flow**



Most Popular



14"

|                    |                |                |
|--------------------|----------------|----------------|
| MODEL              | YL30-LD05A     | YL30-LD05AR    |
| Rated Power        | 60W            | 60W            |
| Control            | Mechanical     | Remote         |
| Timer              | N/A            | 12 hour        |
| N.W./G.W.          | 3.7kg/4.4kg    | 3.7kg/4.4kg    |
| Product dim.       | 365X365X1100mm | 365X365X1100mm |
| Package Dim.       | 385X225X375mm  | 385X225X375mm  |
| 40QH Container/pcs | 2300pcs        | 2300pcs        |



16"

|                    |                |
|--------------------|----------------|
| MODEL              | YL40-66        |
| Rated Power        | 60W            |
| Control            | Mechanical     |
| Timer              | 1 hour         |
| N.W./G.W.          | 4.5kg/5.6kg    |
| Product dim.       | 500x250x1350mm |
| Package Dim.       | 560x440x190mm  |
| 40QH Container/pcs | 1540pcs        |



16"

|                    |                |                |
|--------------------|----------------|----------------|
| MODEL              | YL40-18        | YL40-18R       |
| Rated Power        | 60W            | 60W            |
| Control            | Mechanical     | Remote         |
| Timer              | N/A            | 12 hour        |
| N.W./G.W.          | 5.6kg/6.2kg    | 5.6kg/6.2kg    |
| Product dim.       | 410x380x1300mm | 410x380x1300mm |
| Package Dim.       | 500x210x430mm  | 500x210x430mm  |
| 40QH Container/pcs | 1540pcs        | 1540pcs        |

Most Popular (16’')



|                    |               |               |               |
|--------------------|---------------|---------------|---------------|
| MODEL              | YL40-03       | YL40-09       | YL40-01       |
| Rated Power        | 60W           | 60W           | 60W           |
| Control            | Mechanical    | Mechanical    | Mechanical    |
| Timer              | 1 hour        | 1 hour        | 1 hour        |
| N.W./G.W.          | 2.3kg/3.5kg   | 2.4kg/3.6kg   | 2.1kg/3.2kg   |
| Blades Dim.        | 400mm/16’’    | 400mm/16’’    | 400mm/16’’    |
| Package Dim.       | 455x200x455mm | 480x200x460mm | 460x180x460mm |
| 40QH Container/pcs | 1650pcs       | 1600pcs       | 1800pcs       |


|                    |               |               |               |
|--------------------|---------------|---------------|---------------|
| MODEL              | YL40-02       | YL40-03A      | YL40-07       |
| Rated Power        | 60W           | 60W           | 60W           |
| Control            | Mechanical    | Mechanical    | Mechanical    |
| Timer              | 1 hour        | 1 hour        | 1 hour        |
| N.W./G.W.          | 2.6kg/3.6kg   | 2.5kg/3.4kg   | 2.4kg/3.4kg   |
| Product dim.       | 410x290x600mm | 380x290x600mm | 390x260x600mm |
| Package Dim.       | 590x180x455mm | 560x325x440mm | 590x270x440mm |
| 40QH Container/pcs | 2600pcs       | 1900pcs       | 1900pcs       |



Space Heater

# INDEX

- PTC Ceramic Heater
- Carbon Fiber Heater
- Graphene Heater
- Desk Heater
- Wall Heater
- Bathroom Heater
- Heater & Table 2 in 1





**Model:** YL-2077LA

**Tower PTC Ceramic Heater with flame**

- 220-240V ~ 50Hz 2000W
- 2 heat settings: 1400/2000W
- PTC Ceramic heating element
- Safety thermal cut-out
- Overheat protection
- Safety tip-over switch
- Automatic oscillation function
- 8 hours timer
- Manual and remote control available
- LED display room temperature
- Electronic adjustable thermostat control



**Model:** YL-2075LA

**Tower PTC Ceramic Heater with flame**

- 220-240V/50-60Hz, 2000W
- 2 heat settings: 1400/2000W
- PTC Ceramic heating element
- Safety thermal cut-out
- Overheat protection
- Safety tip-over switch
- Automatic oscillation function
- 8 hours timer
- Manual and remote control available
- LED display room temperature
- Electronic adjustable thermostat control

**Model:** YL-2202LA

**Tower PTC Ceramic Heater with flame**

- 220-240V ~ 50Hz 2000W
- 2 heat settings: 1400/2000W
- PTC Ceramic heating element
- Safety thermal cut-out
- Overheat protection
- Safety tip-over switch
- Automatic oscillation function
- 8 hours timer
- Manual and remote control available
- LED display room temperature
- Electronic adjustable thermostat control



**Model:** YL-2071/2071L

**Tower PTC Ceramic Heater with flame**

- 220-240V ~ 50Hz 2000W
- 2 heat settings: 1400/2000W
- PTC Ceramic heating element
- Safety thermal cut-out
- Overheat protection
- Safety tip-over switch
- Automatic oscillation function
- 8 hours timer for L
- Manual and remote control available for L
- LED display room temperature for L
- Electronic adjustable thermostat control for L





**Model: YL818DR**

**Tower PTC Ceramic Heater with flame and humidifier**


- 220-240V/50-60Hz, 2000W
- Height: 980mm
- Remote control, digital display and touch control
- PTC heating element, more efficient
- Instant heating in 3 seconds
- 12 hours Timer
- Over heat protection
- Tip over protection
- Auto oscillation
- Removable dust filter, easy to clean
- Optional: English voice control



**Model: YLS805DR**

**Tower PTC Ceramic Heater with flame and humidifier**

- 220-240V/50-60Hz, 2000W
- Height: 910mm
- Remote control, digital display and touch control
- PTC heating element, more efficient
- Instant heating in 3 seconds
- 12 hours Timer
- Over heat protection
- Tip over protection
- Auto oscillation
- Removable dust filter, easy to clean
- Optional: English voice control



**Model: YLS805DR**

**Tower PTC Ceramic Heater with volcano flame and humidifier**

- 220-240V/50-60Hz, 2000W
- Height: 910mm
- Remote control, digital display and touch control
- PTC heating element, more efficient
- Instant heating in 3 seconds
- 12 hours Timer
- Over heat protection
- Tip over protection
- Auto oscillation
- Removable dust filter, easy to clean
- Optional: English voice control



**Model: YL803DR**

**Tower PTC Ceramic Heater with flame**

- 220-240V/50-60Hz, 2000W
- Height: 810mm
- Remote control, digital display and touch control
- PTC heating element, more efficient
- Instant heating in 3 seconds
- 12 hours Timer
- Over heat protection
- Tip over protection
- Auto oscillation
- Optional: English voice control



Popular & Unique



- Specifications:**
- Model: YL2305R
  - Power: 1000/2000W
  - N.W./G.W.: 4.0kg/5.3kg
  - Product Dim.: 240\*240\*860mm
  - Package Dim.: 282\*287\*9060mm

- Logistic info**
- MOQ: 1000units
  - 40HQ: 1000pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL2302R
  - Power: 1000/2000W
  - N.W./G.W.: 5.1kg/6.0kg
  - Product Dim.: 517\*452\*598mm
  - Package Dim.: 525\*225\*440mm

- Logistic info**
- MOQ: 1350units
  - 40HQ: 1350pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL2306/2306R
  - Power: 5/1000/2000W
  - N.W./G.W.: 2.3kg/2.9kg
  - Product Dim.: 377\*371\*145mm
  - Package Dim.: 425\*195\*415mm

- Logistic info**
- MOQ: 2000units
  - 40HQ: 2000pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL-15ZL15T
  - Power: 5/600/1200W
  - N.W./G.W.: 1.5kg/2.3kg
  - Product Dim.: 130\*199\*287mm
  - Package Dim.: 165\*210\*360mm

- Logistic info**
- MOQ: 5500units
  - 40HQ: 5500pcs
  - Port of Loading: Ningbo

# Classic Models



- Specifications:**
- Model: YL2101A/YL2101AR
  - Power: 1000/2000W
  - N.W./G.W.: 1.7kg/2.1kg
  - Product Dim.: 120\*230\*620mm
  - Package Dim.: 175\*175\*660mm
- Logistic info**
- MOQ: 2000units
  - 40HQ: 3350pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL2308/YL2308R
  - Power: 1000/2000W
  - N.W./G.W.: 2.3kg/2.8kg
  - Product Dim.: 122\*220\*620mm
  - Package Dim.: 188\*175\*685mm
- Logistic info**
- MOQ: 3100units
  - 40HQ: 3100pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL-20ZL05/YL-20ZL05R
  - Power: 5/1000/2000W
  - N.W./G.W.: 1.5kg/2.3kg
  - Product Dim.: 210\*210\*610mm
  - Package Dim.: 240\*240\*650mm
- Logistic info**
- MOQ: 2700units
  - 40HQ: 2700pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL-20ZL06/YL-20ZL06R
  - Power: 5/1000/2000W
  - N.W./G.W.: 1.7kg/2.5kg
  - Product Dim.: 225\*212\*625mm
  - Package Dim.: 240\*250\*665mm
- Logistic info**
- MOQ: 1700units
  - 40HQ: 1700pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL-22ZL07/YL-22ZL07R
  - Power: 5/1100/2200W
  - N.W./G.W.: 2.3kg/3.2kg
  - Product Dim.: 300\*300\*898mm
  - Package Dim.: 200\*200\*940mm
- Logistic info**
- MOQ: 1800units
  - 40HQ: 1800pcs
  - Port of Loading: Ningbo



- Specifications:**
- Model: YL-20ZL09/YL-20ZL09R
  - Power: 5/1000/2000W
  - N.W./G.W.: 1.8kg/2.6kg
  - Product Dim.: 245\*245\*698mm
  - Package Dim.: 200\*200\*740mm
- Logistic info**
- MOQ: 2250units
  - 40HQ: 2250pcs
  - Port of Loading: Ningbo

Carbon Fiber Heater



- Specifications:
- Model: YL-TY80G-Y/YL-TY60GR-Y Po
  - wer: 400/800W
  - N.W./G.W.: 2.2kg/2.8kg
  - Product Dim.: 180\*180\*480mm
  - Package Dim.: 250\*250\*535mm

- Logistic info
- MOQ: 2050units
  - 40HQ: 2050pcs
  - Port of Loading: Ningbo



- Specifications:
- Model: YL-TY60F
  - Power: 300/600W
  - N.W./G.W.: 1.0kg/1.7kg
  - Product Dim.: 120\*230\*620mm
  - Package Dim.: 175\*175\*660mm

- Logistic info
- MOQ: 2700units
  - 40HQ: 2700pcs
  - Port of Loading: Ningbo



- Specifications:
- Model: YL-TY60A
  - Power: 300/600W
  - N.W./G.W.: 1.0kg/1.7kg
  - Product Dim.: 140\*180\*618mm
  - Package Dim.: 175\*210\*650mm

- Logistic info
- MOQ: 2800units
  - 40HQ: 2800pcs
  - Port of Loading: Ningbo



# **Ningbo Yule Import and Export Co., Ltd.**

*Tel: +8618357464511*

*Email: [andrewhu@nb-yule.com](mailto:andrewhu@nb-yule.com)*

*Web : [www.nb-yule.com](http://www.nb-yule.com)*

*Add: Room906, No.666 Dongyi North Road, Zhenghai, Ningbo,China*