



CATALOGUE 2026

Fan & Heater Collection

Air circulation fan | Evaporative air cooler | Traditional fan | Portable Space Heater

Ningbo Yule Import and Export Co., Ltd.

Tel: +8618357464511
Email: info@nb-yule.com
Web: www.nb-yule.com
Add: Room906, No.666 Dongyi North Road, Zhenghai, Ningbo, China





MODEL	YL-DC18DR
Rated Power	100-240V/50-60Hz/50W
Control	Remote
Timer	12h
N.W./G.W.	4.8kg/5.9kg
Product dim.	360x340x1150mm
Package Dim.	720X220X400mm
40QH Container/pcs	1100pcs

- FEATURES:**
- Digital display and remote control
 - Whole body sprayed color
 - 24V BLDC motor
 - 3D auto Oscillation
 - 12h Timer
 - 1-12 Speed control
 - With LED light belt on back
 - Adjustable height 200mm
 - With amora function
 - Slim & elegant design, upgrade your home atmosphere
 - 13m wind delivery
 - Optional: Anion generator, of-line voice control



MODEL	YL-DC10R
Rated Power	50W
Control	Remote
Timer	12h
N.W./G.W.	3.5kg/4.5kg
Product Dim.	340x340x960mm
Package Dim.	510x225x385mm
40QH Container/pcs	1720pcs

- Features**
- Digital display with remote
 - Room Temperature display
 - Auto-off Screen in 3 minutes
 - 12V 15W DC Motor
 - 1-12 hours Timer
 - 1-12 speed control
 - 180mm 3 blades
 - 262mm/10" fan head
 - 3 wind speeds: Normal, Sleeping & Natural
 - Automatic Horizontal & Vertical 90° Swing
 - Slim & simple design



MODEL	YL-DC25R
Rated Power	50W
Control	Remote
Timer	12h
N.W./G.W.	4.2kg/5.0kg
Product Dim.	320x320x1100mm
Package Dim.	610x200x365mm
40QH Container/pcs	1530pcs

- Features**
- Digital display with remote
 - Auto-off Screen in 3 minutes
 - 24V 20W DC Motor
 - 1-12 hours Timer
 - 1-12 speed control
 - 195mm 5 blades
 - Whole Room Vortex Circulation
 - Weather-Resistant Cases
 - Automatic Horizontal & Vertical 90° Swing



MODEL	YL-DC17R
Rated Power	15W
Control	Remote
Timer	12h
N.W./G.W.	1.9kg/2.8kg
Product Dim.	150x300x850mm
Package Dim.	505x190x355mm
40QH Container/pcs	1950pcs

- Features**
- 3 oscillation angle: 60°, 90°, 120°
 - Tilt angle 90°
 - 7m wind delivery distance
 - with handle
 - Auto-off screen in 3 minute
 - Rechargeable with 7000mAh battery
 - Battery capacity display
 - With 12V BLDC Motor, ultra quiet



YL-DCL67

Features

- *32 Speed Control
- *24V BLDC Motor, quiet & gentle breeze
- *Oscillation: Vertical-90°, horizontal 70°
- *Max wind speed 6.5m/s
- *with Amora function
- *3 Adjustable heights
- *12 hours Timer
- *Auto-off Screen in 3 minutes
- *With LED light in the center of blades
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Customizable LOGO and Color

Rated Power	30W
Rated Voltage	100V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12 hours
Net Weight	4.3kg
Gross Weight	5.2kg
Product Dimension	295x295x1050mm
Package Dimension	595x232x350mm
40QH/pcs	1430

Mechanical Control



YL-DCL68R

Features

- *32 Speed Control
- *24V BLDC Motor, quiet & gentle breeze
- *Oscillation: Vertical-90°, horizontal 70°
- *Max wind speed 6.5m/s
- *with Amora function
- *3 Adjustable heights
- *12 hours Timer
- *Auto-off Screen in 3 minutes
- *With LED light in the center of blades
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Customizable LOGO and Color

Rated Power	30W
Rated Voltage	100V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12 hours
Net Weight	4.3kg
Gross Weight	5.2kg
Product Dimension	295x295x1050mm
Package Dimension	595x232x350mm
40QH/pcs	1430

Remote Control



YL-DC73R

Features

- *Digital Display & remote control
- *24V BLDC Motor, quiet & gentle breeze
- *15 Speed Control
- *4 Wind modes: Normal, Natural, Sleeping and Auto mode with temperature sensor
- *Oscillation: Vertical-120°, horizontal 120°
- *Max wind delivery 9.6m
- *Wind Volumn: 1050 m³/h
- *1-12 hours Timer
- *With LED light in the central of blades
- *With remote control
- *5 x 220mm blades
- *ABS material of cases
- *Adjustable height
- *Auto off Screen in 3 minutes
- *Customizable LOGO
- *Optional: off-line voice control

Rated Power	50W
Input Voltage	100V-240V/50-60Hz
Grill Diameter	300mm/12"
Control Method	Remote
Timer/hour	12h
Net Weight	4.5kg
Gross Weight	5.6kg
Product Dimension	360x360x1150mm
Package Dimension	690x210x415mm
40QH/pcs	1130



Mechanical Control

Remote Control



YL-DC76R

Features

- *Digital Display & remote control
- *24V BLDC Motor, quiet & gentle breeze
- *12 Speed Control
- *4 Wind modes: Normal, Natural, Sleeping and Auto mode
- *Oscillation: Vertical-120°, horizontal 120°
- *Max wind delivery 9.6m
- *Wind Volumn: 1050 m³/h
- *1-12 hours Timer
- *With LED light in the central of blades
- *With remote control
- *5 x 220mm blades
- *ABS material of cases
- *Adjustable height
- *Auto off Screen in 3 minutes
- *Customizable LOGO
- *Optional: off-line voice control

Rated Power	50W
Input Voltage	100V-240V/50-60Hz
Grill Diameter	300mm/12"
Control Method	Remote
Timer/hour	12h
Net Weight	4.2kg
Gross Weight	5.6kg
Product Dimension	360x340x1150mm
Package Dimension	720x220x400mm
40QH/pcs	1100

Remote Control



YL-DC2503R

Features

- *32 Speed Control
- *24V BLDC Motor, quiet & gentle breeze
- *Oscillation: Vertical-90°, horizontal 70°
- *with Amora function
- *Adjustable height
- *12 hours Timer
- *Auto-off Screen in 3 minutes
- *With LED light in the center of blades
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Customizable LOGO and Color

Rated Power	50W
Input Voltage	100-240V/50-60Hz
Grill Diameter	350mm/14"
Control Method	Remote
Timer/hour	12h
Net Weight	4.8KG
Gross Weight	5.7KG
Product Dimension	400x380x1276mm
Package Dimension	612x312x460mm
40QH/pcs	770pcs

Remote Control



YL-L20

Features

- *3 Speed Control
- *3D oscillation
- *with Amora function
- *Adjustable height
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- *Customizable LOGO and Color

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	4.3kg
Gross Weight	5.2kg
Product Dimension	260x310x1050mm
Package Dimension	605x232x330mm
40QH/pcs	1400



YL-L20R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto-off Screen
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Adjustable height
- *Whole Room Vortex Circulation

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	4.3kg
Gross Weight	5.2kg
Product Dimension	260x310x1050mm
Package Dimension	605x232x330mm
40QH/pcs	1400



YL-L16

Features

- *3 Speed Control
- *3D oscillation
- *with Amora function
- *Adjustable height
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- *Customizable LOGO and Color

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	3.5kg
Gross Weight	4.3kg
Product Dimension	330x260x1050mm
Package Dimension	500x275x360mm
40QH/pcs	1350



YL-L2316R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Optional: off-line voice control

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	3.5 kg
Gross Weight	4.3 kg
Product Dimension	330x260x1050mm
Package Dimension	500x275x360mm
40QH/pcs	1350



YL-L22

Features

- *3 Speed Control
- *3D oscillation
- *with Amora function
- *Adjustable height
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- *Customizable LOGO and Color

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	4.3kg
Gross Weight	5.2kg
Product Dimension	260x310x1000mm
Package Dimension	615x237x330mm
40QH/pcs	1400



YL-L22R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto-off Screen
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Adjustable height
- *Whole Room Vortex Circulation

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	4.3kg
Gross Weight	5.2kg
Product Dimension	260x310x1000mm
Package Dimension	615x237x330mm
40QH/pcs	1400



YL-L59R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto-off Screen in 3 minutes
- *With Aroma Function
- *Easy-Clean Removable Grille
- *3 Adjustable heights
- *Noise level<59dB
- *Optional: mosquito killer

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	3.85kg
Gross Weight	4.8 kg
Product Dimension	310x310x1075mm
Package Dimension	598x285x336mm
40QH/pcs	1180



YL-L31R

Features

- *Digital Display & remote control
- *Whole body Sprayed metal grey color
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *With LED light
- *Auto off Screen in 3 minutes
- *Adjustable height
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Optional: off-line voice control

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	290mm/12"
Control Method	Remote
Timer/hour	12h
Net. Weight	4.5KG
Gross Weight	5.2KG
Product Dimension	310x310x1100mm
Package Dimension	630x252x352mm
40QH/pcs	1210



-- Air Circulation Fan --

YL-L35

Features

- *3 Speed Control;
- *Customizable LOGO
- *With Aroma Function
- *Easy-Clean Removable Grille
- *3 Adjustable heights
- *Noise level<59dB
- *Optional: mosquito killer holder

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	3.6kg
Gross Weight	4.1kg
Product Dimension	300x300x1006mm
Package Dimension	520x265x330mm
40QH/pcs	1500



Mechanical Control



YL-L35R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto-off Screen
- *With Aroma Function
- *Easy-Clean Removable Grille
- *3 Adjustable heights
- *Noise level<59dB
- *Optional: mosquito killer holder
- *Whole Room Vortex Circulation

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	3.6kg
Gross Weight	4.1kg
Product Dimension	300x300x1000mm
Package Dimension	520x265x330mm
40QH/pcs	1500



Remote Control



YL-L36

Features

- *3 Speed Control;
- *Customizable LOGO
- *With Aroma Function
- *Easy-Clean Removable Grille
- *3 Adjustable heights
- *Noise level<59dB
- *Optional: mosquito killer holder

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	3.7kg
Gross Weight	4.2kg
Product Dimension	300x300x1000mm
Package Dimension	520x265x330mm
40QH/pcs	1500



Mechanical Control



YL-L36R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto-off Screen
- *With Aroma Function
- *Easy-Clean Removable Grille
- *3 Adjustable heights
- *Noise level<59dB
- *Optional: mosquito killer holder

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	3.7kg
Gross Weight	4.2kg
Product Dimension	300x300x1000mm
Package Dimension	520x265x330mm
40QH/pcs	1500



Remote Control



-- Air Circulation Fan --



YL-L55R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *With LED light
- *12 hours Timer
- *Auto off Screen in 3 minutes
- *Adjustable height
- *With Aroma Function
- *Optional: mosquito killer holder
- *Optional: off-line voice control

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	4.3KG
Gross Weight	5.1KG
Product Dimension	248x310x1100mm
Package Dimension	520x265x330mm
40QH/pcs	1370



Remote Control



YL-Y810R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation;
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *Room Temp Display
- *Auto-off Screen
- *Slim & Simple Design

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	262mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	2.5Kg
Gross Weight	3.3kg
Product Dimension	251x340x1060mm
Package Dimension	550x235x365mm
40QH/pcs	1430



Remote Control



YL-L15


Features

- *Wide angle oscillation & Tilt angle 90°
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- *Customizable LOGO and Color

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	2.4kg
Gross Weight	3.1kg
Product Dimension	320x320x870mm
Package Dimension	470x295x330mm
40QH/pcs	1500



Mechanical Control



YL-L15R


Features

- *Digital Display & remote control
- *3 Speed Control;
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *Room Temp Display
- *Auto-off Screen
- *With Aroma Function

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	2.4kg
Gross Weight	3.1kg
Product Dimension	320x320x870mm
Package Dimension	470x295x330mm
40QH/pcs	1500



Remote Control





YL-L53R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto-off Screen
- *With Aroma Function
- *With LED decorative light
- *20cm Adjustable heights
- *Noise level<59dB
- *Whole Room Vortex Circulation
- *Optional: off-line voice control
- *Optional: With LED light in the center

Rated Power	60W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	290mm/12"
Control Method	Remote
Timer/hour	12h
Net Weight	5.16kg
Gross Weight	6.3kg
Product Dimension	330x330x1150mm
Package Dimension	660x360x300mm
40QH/pcs	960



YL-L33R

Features

- *Digital Display & remote control
- *Whole body Sprayed metal grey color
- *8 Speed Control;
- *3D oscillation
- *3 wind modes: Normal, Natural & Sleeping
- *Customizable LOGO
- *12 hours Timer
- *With LED light
- *Auto off Screen in 3 minutes
- *Adjustable height
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Optional: off-line voice control

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net Weight	5.15kg
Gross Weight	6.25kg
Product Dimension	320x285x1100mm
Package Dimension	650x275x351mm
40QH/pcs	1080



YL-L13R

Features

- *Digital Display & remote control
- *Whole body Sprayed metal grey color
- *3 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *Room Temp Display
- *Adjustable height
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Optional: off-line voice control

Rated Power	70W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	290mm/12"
Control Method	Remote
Timer/hour	12h
Net Weight	4.5kg
Gross Weight	6.3kg
Product Dimension	290x340x1100mm
Package Dimension	670x290x385mm
40QH/pcs	900



YL-L23R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *8m wind delivery distance
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Adjustable height
- *Whole Room Vortex Circulation

Rated Power	60W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	300mm/12"
Control Method	Remote
Timer/hour	12h
Net Weight	5.5kg
Gross Weight	6.9kg
Product Dimension	330x330x1100mm
Package Dimension	590x310x355mm
40QH/pcs	1050



YL-L27

Features

- *3 Speed Control
- *3D oscillation
- *with Aroma function
- *Adjustable height
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- *Customizable LOGO and Color

Rated Power	60W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	265mm/10"
Control Method	Mechanical
Timer/hour	/
Net Weight	4.3kg
Gross Weight	5.4kg
Product Dimension	330x330x1050mm
Package Dimension	570x355x275mm
40QH/pcs	1200



YL-L27R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *8m wind delivery distance
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Adjustable height
- *Whole Room Vortex Circulation

Rated Power	60W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	265mm/10"
Control Method	Remote
Timer/hour	12h
Net Weight	4.3kg
Gross Weight	5.4kg
Product Dimension	330x330x1050mm
Package Dimension	570x355x275mm
40QH/pcs	1200



YL-Y25

Features

- *3 Speed Control;
- *12 hours Timer
- *5m wind delivery distance
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Adjustable height
- *Whole Room Vortex Circulation

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	265mm/10"
Control Method	Mechanical
Timer/hour	/
Net Weight	4.2kg
Gross Weight	5.0kg
Product Dimension	320x320x1100mm
Package Dimension	610x200x365mm
40QH/pcs	1530



YL-Y25R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *3D oscillation
- *Customizable LOGO
- *12 hours Timer
- *5m wind delivery distance
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Adjustable height
- *Whole Room Vortex Circulation

Rated Power	50W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	265mm/10"
Control Method	Remote
Timer/hour	12h
Net Weight	4.2kg
Gross Weight	5.0kg
Product Dimension	320x320x1100mm
Package Dimension	610x200x365mm
40QH/pcs	1530



YL-02T

Rated Power	50W
Rated Voltage	230V~/50-60Hz
Grill Diameter	250mm/10"
Control Method	Mechanical
Timer/hour	/
Net Weight	2.6kg
Gross Weight	3.3kg
Product Dimension	280x280x880mm
Package Dimension	430x295x310mm
40QH/pcs	1750

YL-02R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *3 Wind Mode
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *Room Temp display

Rated Power	50W
Rated Voltage	230V~/50-60Hz
Grill Diameter	250mm/10"
Control Method	Remote
Timer/hour	12h
Net Weight	2.6kg
Gross Weight	3.3kg
Product Dimension	280x280x880mm
Package Dimension	430x295x310mm
40QH/pcs	1750



YL-08

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net Weight	2.4kg
Gross Weight	3.1kg
Product Dimension	320x320x850mm
Package Dimension	410x295x330mm
40QH/pcs	1700

YL-08R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *3 Wind Mode
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *With Aroma Function

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	250mm/10"
Control Method	Remote
Timer/hour	12h
Net Weight	2.4kg
Gross Weight	3.1kg
Product Dimension	320x320x850mm
Package Dimension	410x295x330mm
40QH/pcs	1700



YL-03

Rated Power	60W
Rated Voltage	230V~/50-60Hz
Grill Diameter	350mm/14"
Control Method	Mechanical
Timer/hour	/
Net Weight	2.8kg
Gross Weight	3.4kg
Product Dimension	345x330x950mm
Package Dimension	355x250x360mm
40QH/pcs	1800

YL-03R

Features

- *Whole body ABS Material, excellent finish
- *Digital Display & remote control
- *17 AS double layer blades;
- *3 Speed Control
- *3 Wind Mode
- *7 hours Timer
- *Auto left-right swing
- *Tilt angle 30°
- *Customizable LOGO

Rated Power	60W
Rated Voltage	230V~/50-60Hz
Grill Diameter	350mm/14"
Control Method	Remote
Timer/hour	7h
Net Weight	2.8kg
Gross Weight	3.4kg
Product Dimension	345x330x950mm
Package Dimension	355x250x360mm
40QH/pcs	1800



YL-L26

Features

- 3 Speed Control
- Max. wind speed 7.0m/s
- Auto oscillation 70 degrees
- 3 Adjustable heights
- With aroma function
- 7.8m/s wind speed
- Customizable LOGO and Color
- 8m wind delivery distance

Rated Power	60W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net Weight	3.8
Gross Weight	4.8
Product Dimension	310x310x930mm
Package Dimension	410x335x405mm
40QH/pcs	1200



YL-09

Rated Power	50W
Rated Voltage	230V~/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net Weight	2.2kg
Gross Weight	2.7kg
Product Dimension	251x310x750mm
Package Dimension	370x280x325mm
40QH/pcs	2000PCS

YL-09R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *With Aroma Function
- *Adjustable Heights

Rated Power	50W
Rated Voltage	230V~/50-60Hz
Grill Diameter	250mm/10"
Control Method	Remote
Timer/hour	12h
Net Weight	2.2kg
Gross Weight	2.7kg
Product Dimension	251x310x750mm
Package Dimension	370x280x325mm
40QH/pcs	2000PCS



YL-L11

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	250mm/10"
Control Method	Mechanical
Timer/hour	/
Net Weight	2.4kg
Gross Weight	3.0kg
Product Dimension	255x310x750mm
Package Dimension	410x295x330mm
40QH/pcs	1700

YL-L11R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *Room Temp Display
- *Auto-off Screen
- *With Aroma Function

Rated Power	50W
Rated Voltage	220V-240V/50-61Hz
Grill Diameter	250mm/10"
Control Method	Remote
Timer/hour	12h
Net Weight	2.4kg
Gross Weight	3.0kg
Product Dimension	255x310x750mm
Package Dimension	410x295x330mm
40QH/pcs	1700



-- Air Circulation Fan --



YL-05

Features

- *3 Speed Control;
- *Wide angle oscillation
- *Tilt angle 90°
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *With aroma function
- *Quiet Operation, Gentle Breeze
- *Customizable LOGO and Color

Rated Power	35W
Rated Voltage	220-240V/50-60Hz
Grill Dia meter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	1.75
Gross Weight	2.7
Product Dimension	255x310x450mm
Package Dimension	475x315x300mm
40QH/pcs	1520



YL-05R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *Room Temp Display
- *Auto-off Screen
- *With Aroma Function

Rated Power	35W
Rated Voltage	220-240V/50-60Hz
Grill Dia meter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	1.75
Gross Weight	2.7
Product Dimension	255x310x450mm
Package Dimension	475x315x300mm
40QH/pcs	1520

-- Air Circulation Fan --



YL-01T

Features

- *3 Speed Control;
- *Wide angle oscillation & Tilt angle 90°
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- Customizable with LOGO and Color

Rated Power	50W
Rated Voltage	230V~/50-60Hz
Grill Diameter	250mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	2.0kg
Gross Weight	2.8kg
Product Dimension	320x250x250mm
Package Dimension	280x255x410mm
40QH/pcs	2340

YL-01R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *3 Wind Mode
- *Room Temp display
- *Auto left-right swing;
- *Tilt angle 90°
- *12 hours Timer
- Customizable with LOGO and Color

Rated Power	50W
Rated Voltage	230V~/50-60Hz
Grill Diameter	250mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	2.0kg
Gross Weight	2.8kg
Product Dimension	320x250x250mm
Package Dimension	280x255x410mm
40QH/pcs	2340



YL-05T-61

Features

- *3 Speed Control;
- *Wide angle oscillation & Tilt angle 90°
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- Customizable with LOGO and Color
- *With Aroma Function

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	230mm/9"
Control Method	Mechanical
Timer/hour	/
Net. Weight	1.5kg
Gross Weight	2.0kg
Product Dimension	230x200x310mm
Package Dimension	265x230x345mm
40QH/pcs	3000

YL-05TR-61

Features

- *Digital Display & remote control
- *3 Speed Control;
- *3 Wind Mode
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *With Aroma Function

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	230mm/9"
Control Method	Remote
Timer/hour	12h
Net. Weight	1.5kg
Gross Weight	2.0kg
Product Dimension	230x200x310mm
Package Dimension	265x230x345mm
40QH/pcs	3000

YL-07

Rated Power	35W
Rated Voltage	220-240V/50-60Hz
Grill Dia meter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	1.75
Gross Weight	2.7
Product Dimension	250*260*433mm
Package Dimension	475x315x300mm
40QH/pcs	1520



YL-07R

Features

- *Digital Display & remote control
- *8 Speed Control;
- *Auto left-right swing;
- *Tilt angle 55°
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *Room Temp Display
- *Auto-off Screen
- *With Aroma Function

Rated Power	35W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	1.83
Gross Weight	2.78
Product Dimension	250*260*433mm
Package Dimension	475x315x300mm
40QH/pcs	1520

YL-01

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Mechanical
Timer/hour	/
Net. Weight	2.1kg
Gross Weight	2.9kg
Product Dimension	255x350x315mm
Package Dimension	360x290x370mm
40QH/pcs	1750



YL-01DR

Features

- *Digital Display & remote control
- *With LED Light Belt
- *3 Speed Control;
- *Auto left-right swing;
- *Tilt angle 90°
- *Customizable LOGO
- *12 hours Timer
- *Auto off Screen
- *Room Temp Display
- *Auto-off Screen

Rated Power	50W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	255mm/10"
Control Method	Remote
Timer/hour	12h
Net. Weight	2.1kg
Gross Weight	2.9kg
Product Dimension	255x350x315mm
Package Dimension	360x290x370mm
40QH/pcs	1750



YL-02DR

Features

- *Remote control & Touch control
- *Rechargeable with 4000mAh battery
- *Portable with a leather handle
- *Foldable like a case
- *Hangable on the wall
- *With LED light
- *4 speeds control
- *3-4hours working time
- *Wide angle oscillation;
- *Customizable LOGO

Rated Power	10W
Rated Voltage	220V-240V/50-60Hz
Grill Diameter	200mm/8"
Control Method	Remote
Timer/hour	12h
Net. Weight	1.2kg
Gross Weight	1.8kg
Product Dimension	200x210x110mm
Package Dimension	225x225x131mm
40QH/pcs	10000



YL-T37

Features

- *2 Speed Control
- *Auto left-right oscillation 60°±5
- *Up-down oscillation 10-90°
- *with Amora function
- *Whole Room Vortex Circulation
- *Easy-Clean Removable Grille
- *Weather-Resistant Cases
- *Quiet Operation, Gentle Breeze
- *Customizable LOGO and Color

Rated Power	30W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	205mm/8"
Control Method	Mechanical
Timer/hour	/
Net. Weight	1.2kg
Gross Weight	1.75kg
Product Dimension	220*252*312mm
Package Dimension	265*235*355mm
40QH/pcs	3100

YL-T37R

Features

- *Digital Display & remote control
- *3 Speed Control;
- *Auto left-right oscillation 60°±5
- *Up-down oscillation 10-90°
- *Customizable LOGO
- *12 hours Timer
- *≤59dB(A) noise level
- *With Aroma Function
- *Easy-Clean Removable Grille
- *Whole Room Vortex Circulation

Rated Power	30W
Rated Voltage	220-240V/50-60Hz
Grill Diameter	205mm/8"
Control Method	Remote
Timer/hour	12h
Net. Weight	1.24kg
Gross Weight	1.8kg
Product Dimension	220x252x312mm
Package Dimension	265x235x355mm
40QH/pcs	3100





16"

YL-4066

Features

- Pedestal Fan 16"
- 5 ABS Blades
- 3 Speeds Control
- 1 Hour Timer
- Wide angle oscillation
- Weighted round base

Rated Power	60W
Grill Diameter	400mm/16 inches
Rated Voltage	220-240v/50HZ
Wind Speed	6.0m/s
Height/mm	1350
Control Method	Mechanical
Net Weight/kg	4.5kg
Gross Weight/kg	5.6kg
Product Dimension/mm	500x250x1350mm
Package Dimension/mm	560x440x190mm
40HQ/PCS	1540



16"

YL-4003R

Features

- *Remote Control & button control
- *Pedestal Fan 16"
- *13 AS Blades
- *3 wind modes: Normal, Natural, Sleeping
- *12 hour Timer
- *3 Speeds Control: Low/Mid/High
- *Room temperature display
- *3 optional heights
- *Wide angle oscillation
- *Weighted round base

Rated Power	60W
Grill Diameter	410mm/16 inches
Rated Voltage	220-240v/50HZ
Wind Speed	6.0m/s
Height/mm	1350
Control Method	Mechanical
Net Weight/kg	4.5kg
Gross Weight/kg	5.6kg
Product Dimension/mm	500x250x1350mm
Package Dimension/mm	500x220x435mm
40HQ/PCS	1420



16"

YL-4003A

Features

- Pedestal Fan 16"
- 5 AS Blades
- 3 Speeds Control
- 1 Hour Timer
- Wide angle oscillation

Rated Power	60W
Grill Diameter	400mm/16 inches
Rated Voltage	220-240v/50Hz
Wind Speed	5.6M/S
Height/mm	600
Control Method	Mechanical
Net Weight/kg	2.2 KG
Gross Weight/kg	3.3 kg
Product Dimension/mm	350x280x600mm
Package Dimension/mm	530x190x440mm
40HQ/PCS	1530



16"

YL-4007

Features

- Pedestal Fan 16"
- 5 AS Blades
- 3 Speeds Control
- 1 Hour Timer
- Wide angle oscillation

Rated Power	60W
Grill Diameter	400mm/16 inches
Rated Voltage	220-240v/50Hz
Wind Speed	5.8M/S
Height/mm	600
Control Method	Mechanical
Net Weight/kg	2.4kg
Gross Weight/kg	3.4kg
Product Dimension/mm	390x260x600mm
Package Dimension/mm	590x180x440mm
40HQ/PCS	1450



16"

YL-4003

Features

- Pedestal Fan 16"
- 5 AS Blades
- 3 Speeds Control
- Wide angle oscillation

Rated Power	60W
Grill Diameter	400mm/16"
Rated Voltage	220-240V 50-60Hz
Wind Speed	5.8m/s
Control Method	Mechanical
Net Weight/kg	2.2kg
Gross Weight/kg	3.2kg
Product Dimension/mm	/
Package Dimension/mm	455x200x455mm
40HQ/PCS	1600



16"

YL-4009

Features

- Pedestal Fan 16"
- 5 AS Blades
- 3 Speeds Control
- Wide angle oscillation

Model	Fb40-09
Rated Power	60W
Grill Diameter	400mm/16"
Rated Voltage	220-240V 50-60Hz
Wind Speed	6m/s
Control Method	Mechanical
Net Weight/kg	2.2kg
Gross Weight/kg	3.2kg
Product Dimension/mm	/
Package Dimension/mm	480x200x460mm
40HQ/PCS	1550



16"

YL-4002

Features

- Pedestal Fan 16"
- 5 AS Blades
- 3 Speeds Control
- 1 Hour Timer
- Wide angle oscillation
- Weighted round base

Rated Power	60W
Grill Diameter	400mm/16 inches
Rated Voltage	220-240v/50Hz
Wind Speed	6M/S
Height/mm	600
Control Method	Mechanical
Net Weight/kg	2.6kg
Gross Weight/kg	3.6kg
Product Dimension/mm	410x290x600mm
Package Dimension/mm	590x180x455mm
40HQ/PCS	1390




16"

YL-4001

Features

- Pedestal Fan 16"
- 5 AS Blades
- 3 Speeds Control
- Wide angle oscillation

Rated Power	60W
Grill Diameter	400mm/16 inches
Rated Voltage	220-240v/50Hz
Wind Speed	6M/S
Control Method	Mechanical
Net Weight/kg	2.2kg
Gross Weight/kg	3.2kg
Package Dimension/mm	480x200x460mm
40HQ/PCS	1550



Tower Fan

YL-01R

Rated Power	40W
Height	900mm/35"
Max. wind speed	7.0m/s
Timer	12h
N.W.	3.6kg
G.W.	4.5kg
Product Dim.	250x250x900mm
Package Dim.	195x195x930mm
Loading Qty./40HQ	1920

Features

- Digital Display & remote control
- 5 Speed Control
- 4 modes: Natural, Normal, Sleeping & Auto
- Auto oscillation 90°
- 12 hours Timer
- Auto off Screen in 3 minutes
- With LED light
- Customizable LOGO
- With remote control
- Optional: off-line voice control



5L

YL-JH11

Features

- 4-In-1 Cooler, Humidifier, Purifier & Fan
- Speed levels: 3
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 140
- Noise level: 55 dB(A)
- With recessed handle
- Detachable water tank

Rated Power	80W
Wind Volume	1200m ³ /h
Tank Volume	9L
Evaporation Speed	1-2L/h
Wind Speed	7m/s
Cooled Area	10-20m ²
Control Method	Mechanical
Net Weight/kg	3.7KG
Gross Weight/kg	4.9KG
Product Dimension/mm	235x260x560mm
Package Dimension/mm	310x285x78mm
MOC/pcs	1350

Mechanical Control



5L

YL-JH11R

Features

- Digital display & remote control
- 4-In-1 Cooler, Humidifier, Purifier & Fan
- Timer: 1-12 h
- 3 Speed levels
- 3 Wind Modes
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 140
- Noise level: 55 dB(A)
- With recessed handle
- Detachable water tank

Rated Power	80W
Wind Volume	1200m ³ /h
Tank Volume	9L
Evaporation Speed	1-2L/h
Wind Speed	7m/s
Cooled Area	10-20m ²
Control Method	Remote
Net Weight/kg	3.7KG
Gross Weight/kg	4.9KG
Product Dimension/mm	235x260x560mm
Package Dimension/mm	310x285x78mm
MOC/pcs	1350

Remote Control



7L

YL-JH12

Features

- 4-In-1 Cooler, Humidifier, Purifier & Fan
- Speed levels: 3
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 140
- Noise level: 55 dB(A)
- With recessed handle
- Detachable water tank

Rated Power	80W
Wind Volume	1200m ³ /h
Tank Volume	7L
Evaporation Speed	1-2L/h
Wind Speed	7m/s
Cooled Area	20-30m ²
Control Method	Mechanical
Net Weight/kg	6.7kg
Gross Weight/kg	7.7kg
Product Dimension/mm	270x305x730mm
Package Dimension/mm	358x325x770mm
MOC/pcs	780

Mechanical Control



7L

YL-JH12R

Features

- Digital display & remote control
- 4-In-1 Cooler, Humidifier, Purifier & Fan
- Timer: 1-12 h
- 3 Speed levels
- 3 Wind Modes
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 140
- Noise level: 55 dB(A)
- With recessed handle
- Detachable water tank

Rated Power	80W
Wind Volume	1200m ³ /h
Tank Volume	7L
Evaporation Speed	1-2L/h
Wind Speed	7m/s
Cooled Area	20-30m ²
Control Method	Remote
Net Weight/kg	6.7kg
Gross Weight/kg	7.7kg
Product Dimension/mm	270x305x730mm
Package Dimension/mm	358x325x770mm
MOC/pcs	780

Remote Control



10L

YL-03

Features

- 4-In-1 Cooler, Humidifier, Purifier & Fan
- Speed levels: 3
- Water tank 10L
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 120
- Noise level: 55 dB(A)
- With handle on the back
- Detachable water tank

Rated Power	50W
Wind Volume	1200m ³ /h
Tank Volume	10L
Evaporation Speed	1-2L/hour
Wind Speed	7m/s
Cooled Area	10-20m ²
Control Method	Mechanical
Net Weight/kg	4.9kg
Gross Weight/kg	4.7kg
Product Dimension/mm	235x275x600mm
Package Dimension/mm	275x315x640mm
MOC/pcs	1230



4L

YL-JH20

Features

- 4-In-1 Cooler, Humidifier, Purifier & Fan
- Speed levels: 3
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 120
- Noise level: 55 dB(A)
- With handle on the back
- Detachable water tank

Rated Power	80W
Wind Volume	1200m ³ /h
Tank Volume	4L
Evaporation Speed	1-2L/hour
Wind Speed	7m/s
Cooled Area	10-20m ²
Control Method	Mechanical
Net Weight/kg	3.9kg
Gross Weight/kg	4.7kg
Product Dimension/mm	240x270x570mm
Package Dimension/mm	273x293x595mm
MOC/pcs	1450



7L

YL-JH12N

Features

- 5-In-1 Cooler, Humidifier, Purifier & Fan, heater
- Speed levels: 3
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 140
- Noise level: 55 dB(A)
- Recessed handle
- Detachable water tank

Rated Power	80W/2000W
Wind Volume	1200m ³ /h
Tank Volume	7L
Evaporation Speed	1-2L/h
Wind Speed	7m/s
Cooled Area	20-30m ²
Control Method	Mechanical
Net Weight/kg	6.7KG
Gross Weight/kg	7.6KG
Product Dimension/mm	270x305x730mm
Package Dimension/mm	358x325x770mm
MOC/pcs	780

Mechanical Control



7L

YL-JH12NR

Features

- 5-In-1 Cooler, Humidifier, Purifier & Fan, heater
- Digital display & remote control
- Timer: 1-12 h
- Speed levels: 3
- 3 Wind Modes
- Removable dust filter
- 4 Castors with brake
- Oscillation angle: 140
- Noise level: 55 dB(A)
- Recessed handle
- Detachable water tank

Rated Power	80W/2000W
Wind Volume	1200m ³ /h
Tank Volume	7L
Evaporation Speed	1-2L/h
Wind Speed	7m/s
Cooled Area	20-30m ²
Control Method	Remote
Net Weight/kg	6.7KG
Gross Weight/kg	7.6KG
Product Dimension/mm	270x305x730mm
Package Dimension/mm	358x325x770mm
MOC/pcs	780

Remote Control



YL-2305R

Features

- Heater & Fan 2 in 1
- Digital Display & Remote control & Touch control
- With LED light under the top
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Auto off display screen in 3 minutes
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Energy saving in ECO mode
- Fire-proof PP material outer shell
- Auto cool down after turn off

Rated Power	5/1000/2001W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	5.3kg/4.0kg
Produc Dim.	860x240x240mm
Package Dim.	906x282x287mm
40HQ/pcs	900



YL-805R

Features

- Digital Display & Remote control & Touch control
- With LED light under the top
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Auto off display screen in 3 minutes
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Energy saving in ECO mode

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	6.0kg/5.1kg
Produc Dim.	860x240x240mm
Package Dim.	906x282x287mm
40HQ/pcs	900



YL-2302R

Features

- Heater & table 2 in 1
- Digital Display & Remote control
- With LED light under the table
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Auto off display screen in 3 minutes
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Energy saving in ECO mode
- Fire-proof PP material outer shell
- Auto cool down after turn off

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
N.W./G.W.	5.1kg/6.0kg
Produc Dim.	517x452x598mm
Package Dim.	525x225x440mm
40HQ/pcs	1280



YL-251R

Features

- Digital Display & Remote control
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Dual fan motors
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Energy saving in ECO mode
- Fire-proof PP material outer shell.

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
N.W./G.W.	3.29kg/4.20kg
Package Dim.	265x245x825mm
40HQ/pcs	1270



YL-2303R

Features

- Digital Display & Remote control
- With LED light on the top
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Fire-proof PP material outer shell
- With recessed Handle on the back

Rated Power	1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
N.W./G.W.	2.5kg/3.2kg
Produc Dim.	120x145x800mm
Package Dim.	835x180x220mm
40HQ/pcs	2100



YL-803R

Features

- Digital Display & Remote control
- With Humidifier on the top
- With flame on the bottom
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Fire-proof PP material outer shell.

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
N.W./G.W.	2.5kg/3.2kg
Produc Dim.	120x145x800mm
Package Dim.	835x180x220mm
40HQ/pcs	2100



YL-2316R

Features

- Digital Display & Remote control & Touch control
- Higher Heating effectiveness with graphene coating
- 3D oscillation
- Instant heating in 3 sec.
- ECO mode for energy saving
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Auto-off Screen in 3 minutes
- Memory Function
- Adjustable heights

Rated Power	5/1000/2000W
Heater Type	Graphene PTC
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	7.5kg/6.3kg
Produc Dim.	340x340x1000mm
Package Dim.	570x355x275mm
40HQ/pcs	1250



YL-2531R

Features

- Digital Display & Remote control
- With Dynamic flame display
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Energy saving in ECO mode
- Fire-proof PP material outer shell.

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
N.W./G.W.	2.1kg/2.55kg
Produc Dim.	215x170x615mm
Package Dim.	200x172x655mm
40HQ/pcs	3050



-- PTC Ceramic Heater --



YL-10AP1

- Features**
- Log flame effect.
 - 2 heating levels.
 - Over-heat protection.
 - Tip-over protection
 - Flame can be used independently.
 - Designed especially for personal use.
 - With easy recessed Handle.
 - Fire-proof PP material outer shell.

Rated Power	/600/1200W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.1kg/1.7kg
Produc Dim.	135x210x360mm
Package Dim.	170x240x390mm
40HQ/pcs	3792



YL-2306

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.9kg/2.3kg
Produc Dim.	377x371x145mm
Package Dim.	425x195x415mm
40HQ/pcs	2000

YL-2306R

- Features**
- Digital Display & Remote control & Touch Screen
 - Fan & heater 2 in 1
 - Designed for bathroom
 - Quickly dry up your towel
 - Use front as a mirror
 - IP rating IPX23
 - Hnagable on the wall
 - Over-heat protection
 - Fire-retardant materials
 - 12 hours Timer
 - 20-40°C temp. settable
 - Room Temp Display
 - 2 heating levels
 - Auto-off Screen
 - Memory function
 - Fire-proof PP material outer shell.

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.9kg/2.3kg
Produc Dim.	377x371x145mm
Package Dim.	425x195x415mm
40HQ/pcs	2000



-- Carbon Fiber Heater --



YL-TY60F

- Features**
- Switch Button Control
 - Tip-over Protection
 - Instant heating in 3 sec
 - 2 heating levels
 - Auto Oscillation
 - Designed especially for personal use.
 - With easy portable Handle.
 - Fire-proof PP material outer shell.

Rated Power	300/600W
Heater Type	Carbon Fiber
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	1.7kg/1.0kg
Produc Dim.	120x230x620mm
Package Dim.	210x175x660mm
40HQ/pcs	2800



YL-TY60A

- Features**
- Switch Button Control
 - Tip-over Protection
 - Instant heating in 3 sec
 - 2 heating levels
 - Auto Oscillation
 - Designed especially for personal use.
 - With easy portable Handle.
 - Fire-proof PP material outer shell.

Rated Power	250/500W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	6.0kg/5.1kg
Produc Dim.	517x452x598mm
Package Dim.	525x225x440mm
40HQ/pcs	1310



YL-236R

- Features**
- Digital Display & Remote control & Touch Screen
 - Hangable on the wall
 - 2 heating levels
 - 12hour Timer
 - Room Temp Display
 - Auto off screen in 3 minutes
 - Over-heat protection
 - Tip-over protection
 - Fire-retardant PP materials
 - Optional: Cloth drying Rack

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.5kg/2.0kg
Produc Dim.	260x125x300mm
Package Dim.	305x170x388mm
40HQ/pcs	3360



YL-15ZL15T

- Features**
- Fan & heater 2 in 1;
 - 2 heating levels;
 - Over-heat protection;
 - Tip-over protection
 - Auto Oscillation
 - Designed especially for personal use.
 - With easy recessed Handle.
 - Fire-proof PP material outer shell.
 - Customizable color

Rated Power	5/600/1200W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	1.6kg/1.3kg
Produc Dim.	199x130x287mm
Package Dim.	200x155x345mm
40HQ/pcs	5500



YL-TY80G-Y

- Features**
- Switch Button Control
 - Tip-over Protection
 - Instant heating in 3 sec
 - 2 heating levels
 - Auto Oscillation
 - Designed especially for personal use.
 - With easy portable Handle.
 - Fire-proof PP material outer shell.

Rated Power	400/800W
Heater Type	Carbon Fiber
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.8kg/2.2kg
Produc Dim.	180x180x480mm
Package Dim.	250x250x535mm
40HQ/pcs	2050



YL-TY80GR-Y

- Features**
- Digital Display & Remote control
 - Instant heating in 3 sec
 - Auto Oscillation
 - 12 hours Timer
 - Room Temp Display
 - Tip-over Protection
 - Instant heating in 3 sec
 - 2 heating levels
 - Designed especially for personal use.
 - With easy portable Handle.
 - Fire-proof PP material outer shell.

Rated Power	400/800W
Heater Type	Carbon Fiber
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.8kg/2.2kg
Produc Dim.	180x180x480mm
Package Dim.	250x250x535mm
40HQ/pcs	2050





YL-20ZL5

- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Designed especially for personal use.
- With easy recessed Handle on the back
- Fire-retardant PP materials

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.3KG/1.5KG
Produc Dim.	210x210x610mm
Package Dim.	240x240x650mm
40HQ/pcs	1800

Mechanical Control



YL-20ZL5R

- Digital Display & Remote control & Touch Screen
- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Temperature settable from 20-40°C
- 12hour Timer
- Room Temp Display
- Memory Function
- Auto off screen
- With easy recessed Handle on the back
- Fire-retardant PP materials

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.3KG/1.5KG
Produc Dim.	210x210x610mm
Package Dim.	240x240x650mm
40HQ/pcs	1800

Remote Control



YL-20ZL9

- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Designed especially for personal use.
- With easy recessed Handle on the back
- Fire-retardant PP materials

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.6kg/1.8kg
Produc Dim.	245x245x698mm
Package Dim.	740x200x200mm
40HQ/pcs	2250

Mechanical Control



YL-20ZL9R

- Digital Display & Remote control & Touch Screen
- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Temperature settable from 20-40°C
- 12hours Timer
- Room Temp Display
- Memory Function
- Auto off screen
- With easy recessed Handle on the back
- Fire-retardant PP materials

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.6kg/1.8kg
Produc Dim.	245x245x698mm
Package Dim.	740x200x200mm
40HQ/pcs	2250

Remote Control



YL-22ZL7

Features

- *Fan & heater 2 in 1;
- *2 heating levels;
- *Over-heat protection;
- *Tip-over protection
- *Auto Oscillation
- *Designed especially for personal use.
- *With easy recessed Handle.
- *Fire-proof PP material outer shell.

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.3kg/3.2kg
Produc Dim.	300x300x898mm
Package Dim.	940x200x200mm
40HQ/pcs	1800

Mechanical Control



YL-22ZL7R

Features

- Heater & Fan 2 in 1
- Digital Display & Remote control & Touch control
- With LED light under the table
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Auto off display screen in 3 minutes
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Energy saving in ECO mode
- Fire-proof PP material outer shell
- Auto cool down after turn off

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.3kg/3.2kg
Produc Dim.	300x300x898mm
Package Dim.	940x200x200mm
40HQ/pcs	1800

Remote Control



YL-2313R

Features

- Digital Display & Remote control
- With LED light on the top
- Powerful wind with wind wheel
- Instant heating in 3 sec
- Auto Oscillation
- 12 hours Timer
- 20-40°C temp. settable
- Room Temp Display
- Tip-over Protection
- over-heat protection
- 2 heating levels
- Fire-proof PP material outer shell.

Rated Power	1100/2200W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
N.W./G.W.	5.0kg/6.0kg
Produc Dim.	219x219x929mm
Package Dim.	975x270x275mm
40HQ/pcs	950

Remote Control



YL-2215Z

Features

- Wide 70 degree oscillation
- PTC ceramic instant heating
- Dual BLDC quiet fans
- Fire retardant Materials
- Tip-over protection
- Portable Handle
- Over-heat Proction

Rated Power	1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
N.W./G.W.	3.3kg/4.0kg
Produc Dim.	1100x310x310mm
Package Dim.	930x190x220mm
40HQ/pcs	1750

Mechanical Control



YL-816

Features

- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Designed especially for personal use.
- With leather Handle on the top
- Fire-retardant PP materials

Rated Power	1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
N.W./G.W.	1.8kg/2.3kg
Produc Dim.	230x230x620mm
Package Dim.	185x185x655mm
40HQ/pcs	3000

Mechanical Control



YL-816R

Features

- Digital Display & Remote control & Touch Screen
- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Temperature settable from 20-40°C
- 12hour Timer
- Room Temp Display
- Memory Function
- Auto off screen
- With leather Handle on the top
- Fire-retardant PP materials

Rated Power	1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
N.W./G.W.	1.8kg/2.3kg
Produc Dim.	230x230x620mm
Package Dim.	185x185x655mm
40HQ/pcs	3000

Remote Control



YL-2101

Features

- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Designed especially for personal use.
- With leather Handle on the top
- Fire-retardant PP materials

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.1Kg/1.7Kg
Produc Dim.	120x230x620mm
Package Dim.	175x175x660mm
40HQ/pcs	3350

Mechanical Control



YL-2101R

- Digital Display & Remote control & Touch Screen
- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Temperature settable from 20-40°C
- 12hour Timer
- Room Temp Display
- Memory Function
- Auto off screen
- With leather Handle on the top
- Fire-retardant PP materials

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.1Kg/1.7Kg
Produc Dim.	120x230x620mm
Package Dim.	175x175x660mm
40HQ/pcs	3350

Remote Control



YL-20ZL6

Features

- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Designed especially for personal use.
- With easy recessed Handle on the back
- Fire-retardant PP materials

Rated Power	5/1000/2000W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Mechanical
G.W./N.W.	2.5KG/1.7KG
Produc Dim.	223x212x625mm
Package Dim.	250x240x665mm
40HQ/pcs	1700

Mechanical Control



YL-20ZL6R

Features

- Digital Display & Remote control & Touch Screen
- 2 heating levels;
- Over-heat protection;
- Tip-over protection
- Auto Oscillation
- Temperature settable from 20-40°C
- 12hour Timer
- Room Temp Display
- Memory Function
- Auto off screen
- With easy recessed Handle on the back
- Fire-retardant PP materials

Rated Power	5/1000/2001W
Heater Type	PTC Ceramic
Rated Voltage	220-240V/50Hz
Control Method	Remote
G.W./N.W.	2.5KG/1.7KG
Produc Dim.	223x212x625mm
Package Dim.	250x240x665mm
40HQ/pcs	1700

Remote Control